

COMPACT 24"



STANDARD EQUIPMENT

- » Steel reed, 12 dents/inch (5dents/cm)
- » 10½" (26.8 cm) wire heddles
- » 1 boat shuttle 6122-1000
- » 1 reed and heddle hook 6141-7000
- » 2 lease sticks and 2 warp rods
- » 10 loop cords for lashing
- » Assembly instructions and Video
- » Book "Warp and Weave"

24" Weaving Width

This jack-type floor loom is light but solid and easily moveable when folded. It is designed for workshops and demonstrations. To fold, slightly unscrew the two handles on the sides of the loom and slide them up. It can be folded easily even after weaving has started. The Compact loom is built with six treadles for easy tie-up, and can be converted into an 8 shaft loom, by adding 4 shafts (and 4 treadles). It is equipped with a 1 7/8" (4 cm) regular plain beam, to which a set of rake-like pieces (sectional warp beam) can be added. The rake-like pieces must be screwed directly on the beam. Without an extension, the circumference of the sectional warp beam is 15" (38 cm).



SPECIFICATIONS & DIMENSIONS

Number of heddles	600
Loom width (outside)	32" 81 cm
Depth opened	35" 89 cm
Depth folded	21" 54 cm
Height front	29½" 75 cm
Height opened	36½" 93 cm
Height closed	36½" 93 cm
Front height	29½" 75 cm
Net Weight	72 lbs 32 kg
Shipping weight	84 lbs 38 kg

4 SHAFT 1022-0000 \$2015.00
8 SHAFT 1022-0001 \$2572.00

OPTIONS

- | | | |
|--|-----------|-----------|
| » Kit: 4 Extra Shaft Kit | 1023-0000 | \$ 656.00 |
| » Inserted eye or Texsolv heddles instead of wire heddles: | 1022-9800 | \$ 65.00 |
| » Compact Double Back Beam | 1057-0000 | \$ 381.00 |
| » Sectional Warp Beam 1" (25 mm) Sections | 6443-3000 | \$ 288.00 |
| » Bench (adjustable in height) | 6384-6000 | \$ 312.00 |
| » Wheels Kit for older loom(4) | 1023-0001 | \$ 132.00 |

